

Warsaw University of Technology

ROUGH SETS PRESENT STATE AND FURTHER PROSPECTS

by

Zdzisław Pawlak

ICS Research Report 32/95

POLITECHNIKA WARSZAWSKA
Wydział Elektroniki i Technik Informacyjnych
INSTYTUT INFORMATYKI
BIBLIOTEKA
00-665 Warszawa, ul. Nowowiejska 15/19
tel.621-00-70 w. 7304

Institute of Computer Science

ROUGH SETS PRESENT STATE AND FURTHER PROSPECTS *

Zdzislaw Pawlak
Institute of Computer Science, Warsaw University of Technology
Nowowiejska 15/19, 00-665 Warsaw, Poland
e-mail: zpw@ii.pw.edu.pl

and
Institute of Theoretical and Applied Informatics
Polish Academy of Sciences
ul. Baltycka 5, 44-100 Gliwice, Poland

Abstract

The rough set theory is a new mathematical approach to vagueness and uncertainty. To some extend it overlaps with some other mathematical tools developed to deal with imperfect knowledge, in particular with fuzzy set theory and evidence theory – nevertheless the rough set theory can be viewed in its own rights, as an independent discipline. Many real-life applications of the theory have proved its practical usefulness. The paper characterizes the philosophy underlying the rough set theory, gives its rudiments and discusses briefly some areas of applications. At the end some further problems are briefly outlined.

Keywords: Vagueness, Uncertainty, Imprecision, Fuzzy sets, Rough sets

1 Introduction

The rough set theory proposed by the author in 1982 [21] is a new mathematical tool to reason about vagueness and uncertainty.

Vagueness for a long time has been pursued by philosophers and logicians and in the recent years attracted attention also of AI community. The idea of a vague concept (set) is related to the so called boundary-line view, which is due to Frege [8]. The concept is vague if there are some objects which cannot be classified neither to the concept nor to its complement, and are the boundary-line cases.

^{*}This work was supported by grant No. 8 S503 021 06 from State Committee for Scientific Research.

The rough sets philosophy bears on the assumption that knowledge has granular structure. The granularity of knowledge is caused by the fact that often some objects of interest cannot be discern and may appear as the same (or similar). Consider, for example patients suffering from a certain disease. Suppose that with every patient a set of data (like body temperature, blood pressure, etc.) characterizing his/her health status is associated. Thus patients displaying the same symptoms are indiscernible (similar) in view of the available knowledge about them. The indiscernibility relation generated in this way is the mathematical basis of the rough set theory.

Any set of all indiscernible (similar) objects is called elementary set, and form basic granule (atom) of knowledge about the universe. Any union of some elementary sets is referred to as crisp (precise) set – otherwise a set is rough (imprecise, vague).

Consequently each rough set has boundary-line examples, i.e. objects which cannot be with certainty classified, employing the available knowledge, as members of the set or its complement.

In the proposed approach we assume that any vague concept is characterized by pair of precise concepts – called the lower and the upper approximation of the vague concept. The lower approximation consists of all objects which *surely* belong to the concept and the upper approximation contain all objects which *possible* belong to the concept. Obviously the difference between the upper and the lower approximation constitute the boundary region of the vague concept. Approximations are two basic operations in the rough set theory.

The rough set concept overlaps - to some extent - with many other mathematical tools developed to deal with imperfect knowledge, in particular with the fuzzy set theory and the theory of evidence.

Basically the idea of fuzzy set and rough set are not competitive, since they refer to different appears of imprecision, and consequently are meant to be used in different areas. The relationship between these two approaches has been studied by many authors. Extensive discussion of this topic

can be also found in [23].

The connection between the rough set theory and Dempster-Shafer theory of evidence has been investigated in [31]. It turned out that the plausibility and belief functions, used in the evidence theory, can be expressed in the rough set theory by employing the lower and the upper approximations. Hence the theory of evidence can be embedded in the rough set theory.

2 Ilustrative Example

The above presented ideas can be illustrated by the following example. Suppose we are given data table – called also attribute-value table or information system – containing data about 6 patients, as shown below.

Patient	Headache	Muscle-pain	Temperature	Flu
p1	no	yes	high	yes
p2	yes	no	high	yes
р3	yes	yes	very high	yes
p4	no	yes	normal	no
p5	yes	no	high	no
p6	no	yes	very high	yes

Tab.1

Columns of the table are labelled by attributes (symptoms) and rows by objects (patients), whereas entries of the table are attribute values. Thus each row of the table contains knowledge (information) about specific patient. For example patient p2 is characterized in the table by the following attribute-value set

{(Headache, yes), (Muscle-pain, no), (Temperature, high), (Flu, yes)}.

In the table patients p2, p3 and p5 are indiscernible with respect to the attribute Headache, patients p3 and p6 are indiscernible with respect to attributes Muscle-pain and Flu, and patients

p2 and p5 are indiscernible with respect to attributes Headache, Muscle-pain and Temperature. Hence, for example, the attribute Headache generates two elementary sets {p2, p3, p5} and {p1, p4, p6}, whereas the attributes Headache and Muscle-pain form the following elementary sets, {p1, p4, p6}, {p2, p5} and {p3}. Similarly one can define elementary set generated by any subset of attributes.

Because patient p2 has flu, whereas patient p5 does not, and they are indiscernible with respect to the attributes Headache, Muscle-pain and Temperature, thus flu cannot be characterized in terms of attributes Headache, Muscle-pain and Temperature. Hence p2 and p5 are the boundary-line cases, which cannot be properly classified in view of the available knowledge. The remaining patients p1, p3 and p6 display symptoms which enable us to classify them with certainty as having flu, patients p1 and p5 cannot be excluded as having flu and patient p4 for sure has not flu, in view of the displayed symptoms. Thus the lower approximation of the set of patients having flu is the set {p1, p3, p6} and the upper approximation of this set is the set {p1, p2, p3, p5, p6}, where as the boundary-line cases are patients p2 and p5. Similarly p4 has not flu and p2, p5 cannot be excluded as having flu, thus the lower approximation of this concept is the set {p4} whereas – the upper approximation is the set {p2, p4, p5} and the boundary region of the concept "not flu" is the set {p2, p5} the same

3 Basic Concepts

The above discussed ideas can be formulated more precisely as shown in what follows.

Let U be a non-empty set called the *universe* and let I be a binary relation over U, called the *indiscernibility* relation. In what follows, for the sake of simplicity, we assume that I is an equivalence relation and I(x) will denote the equivalence class containing x.

Let $X \subseteq U$ be a subset of the universe. By the lower approximation of X with respect to I, or

briefly the lower approximation of X, when I is understood, we understand the set

$$I_*(X) = \{x \in U : I(x) \subseteq X\},\$$

and similarly the upper approximation of X with respect to I, is the set

$$I^*(X) = \{x \in U : I(x) \cap X \neq \emptyset\}.$$

The boundary region of X is the set $BN_I(X) = I^*(X) - I_*(X)$.

If the boundary region of X is the empty set, i.e., $BN_I(X) = \emptyset$, then the set X will be called crisp with respect to I; in the opposite case, i.e., if $BN_I(X) \neq \emptyset$, the set X will be referred to as rough with respect to I.

Let us remark that the lower and the upper approximations are in fact interior and closure in a certain topology generated by the indiscernibility relation [22].

The greater the boundary region of a set, the more "rough" (vague) is the set. The above idea can be expressed numerically by defining the following coefficient

$$\alpha_I(X) = \frac{|I_*(X)|}{|I^*(X)|}.$$

where |X| denotes the cardinality of the set X.

Obviously $0 \le \alpha_I(X) \le 1$. If $\alpha_I(X) = 1$, the set X is crisp with respect to I; otherwise, if $\alpha_I(X) < 1$, the set X is rough with respect to I.

A vague concept has boundary-line cases, i.e., elements of the universe which cannot be — with certainty — classified as elements of the concept. Hence uncertainty is related to the question of membership of elements to a set. Therefore in order to discuss the problem of uncertainty from the rough set perspective we have to define a membership function related to the rough set concept, the rough membership function. The rough membership function can be defined employing the indiscernibility relation I as

$$\mu_X^I(x) = \frac{|X \cap I(x)|}{|I(x)|}.$$

Obviously, $0 \le \mu_X^I(x) \le 1$.

The rough membership function can be interpreted as a kind of conditional probability, and is not assumed, but computed from data about objects of the universe.

Using the rough membership function one can define the rough set as follows: a set X is rough with respect to I if $\mu_X^I(x) < 1$ for every $x \in X$, otherwise, i.e. if $\mu_X^I(x) = 1$ for every $x \in X$, the set X is crisp with respect to I. It turns out that the definition of the rough set concept employing approximations and that based on the rough membership function are not equivalent. For details the reader is referred to [23].

The rough membership function can be used to define the approximations and the boundary region of a set, as shown below:

$$I_*(X) = \{x \in U : \mu_X^I(x) = 1\},\$$

$$I^*(X) = \{x \in U : \mu_X^I(x) > 0\},\$$

$$BN_I(X) = \{x \in U : 0 < \mu_X^I(x) < 1\}.$$

One can see from the above definitions that there exists a strict connection between vagueness and uncertainty in the rough set theory. As we mentioned above vagueness is related to sets, and has topological flavor, while uncertainty is related to elements of a set and it has probabilistic nature.

Thus approximations are necessary when speaking about vague concepts, whereas rough membership is needed when uncertain data are considered.

4 The Theory

The rough set theory have inspired a lot of theoretical research. Many authors have studied algebraic and topological properties of rough sets. Besides, a variety of logical research, directed to create logical tools to deal with approximate reasoning have been published by many authors.

The rough set concept overlaps in many aspects with many other mathematical ideas developed to deal with vagueness and uncertainty. In particular many authors were involved in clarifying the relationship between fuzzy sets and rough sets [2,23]. Extensive study of the relation between the evidence theory and rough set theory have been revealed recently by [31]. The rough set philosophy in data analysis is close to statistical approach. Comparison of these two approaches can be found in [13]. Another aspects of statistical connections to rough sets has been considered by [42,47] and others. Important issue is the relationship of rough set theory to boolean reasoning, which has been deeply analyzed by [30]. Many authors have given attention to connections of the rough set theory and other important disciplines, like mathematical morphology, conflict theory, concurrency, Petrinets, mereology, neural networks, genetic algorithms and others.

5 Applications

After ten years of pursuing the rough set theory and its applications it is clear that this theory is of substantial importance to AI and cognitive sciences, in particular expert systems, decision support systems, machine learning, machine discovery, inductive reasoning, pattern recognition, decision tables and the like.

The rough sets approach has proved to be a very effective tool, with many successful applications to its credit. A variety of real-life applications in medicine, pharmacology, industry, engineering, control systems, social sciences, earth sciences, switching circuits, image processing and other have been successfully implemented. Some of them are listed in the References, esspecially in [32,47,15].

The rough set theory seems to be particularly suited to data reduction, discovering of data dependencies, discovering data significance, discovering similarities or differences in data, discovering patterns in data, decision algorithms generation, approximate classification and the like.

Further Prospects

The rough set theory have reached such a state that some kind of summary of its theoretical

Testides, further development of the theory seems badly needed. The most important one seemnally is the theory of rough functions, similar to that considered in nonstandard analysis. Various proximate operations on rough functions are needed in many applications, especially in approximate (rough) control theory based on the rough set approach and discrete dynamical systems. It is properties of functions such as rough continuity, rough limits, rough derivative, rough it is propertied and rough stability are exemplary problems which require formulation in the framework of the rough function theory. This approach can also contribute to qualitative reasoning methods yieldly studied recently in physics and AI.

Problems related to incomplete and distributed data seem of primary importance. Algorithms insed on the rough sets approach are very well suited to parallel processing, especially when appropriate hardware could be developed. Computing machine based on the rough set concepts, seems to be at hand. Beside practical aspects also more general look on concurrency can be gained in the namework of the rough set theory.

Closer investigation of neural networks and genetic algorithms in connection with the rough set lew can contribute to better understanding the above said disciplines and lead to more efficient lgorithms.

Last but not least, research on rough logic seems to be very promising both theoretically and ractically. The rough truth, rough consequence relation investigated by [2,16] seems to be a very nod starting point to this end.

Conclusion

If seems that the rough set theory has reached a certain degree of maturity both from theoretical and practical points of view.

It has inspired wide spectrum of theoretical research in various areas and also has found many interesting applications. The rough set approach seems to be of fundamental importance to AI and cognitive sciences, especially in the areas of machine learning, knowledge acquisition, decision analysis, knowledge discovery from databases, expert systems, inductive reasoning, pattern recognition and decision support systems.

Recent research on rough controll have shown a new very promising area of applications of the rough set theory.

References

- 1. Black, M., "Vagueness", The Philosophy of Sciences, pp. 427-455, 1937.
- 2. Chakraborty, M. K., Banerjee, M., "Rough Consequence", Bulletin of the Polish Academy of Sciences, (to appear), 1994.
- 3. Dubois, D., Prade, H., "Putting Rough Sets and Fuzzy Sets Together". In *Intelligent Decision Support Systems; Handbook of Applications and Advances of the Rough Set Theory*, R. Slowinski, ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 203-23, 1992.
- 4. Dubois, D., Prade, H., "Rough Fuzzy Sets and Fuzzy Rough Sets", Internal Conference on Fuzzy Sets in Informatics, Moscow, September 20-23, 1988 and International Journal of General Systems, 17, pp. 191-173, 1990.
- 5. Dubois, D., Prade, H., "Putting Rough Sets and Fuzzy Sets Together". In: Intelligent Decision Support Systems, Handbook of Applications and Advances of the Rough Sets Theory, R. Slowinski, Ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 203-232, 1992.

- for Parlnas del Cerro, L., Prade, H., "Rough Sets, Twofold Fuzzy Sets and Modal Logic, Fuzzines and Indiscernibility and Partial Information". In The Mathematics of Fuzzy Systems, A.D. Nola and Verlag TUG, Rheinland, 1986.
- 7. Fine, K., "Vagueness, Truth and Logic", Synthese, 30, pp. 265-300, 1975.
- Frege, G., "Grundgesetze der Arithmentik". In Selections from the Philosophical Writings of Cotlob Frege, Geach and Black, eds., Blackweil, Oxford 1970, 1903.
- 0. Grzymala-Busse, J., "Knowledge Acquisition under Uncertainty a Rough Set Approach", Journal of Intelligent and Robotics Systems, 1, pp.3-16, 1988.
- 10. Grzymala-Busse, J., "Managing Uncertainty in Expert Systems", Kluwer Academic Publishers, Dordrecht, Boston, London, 1991.
- 11. Grzymala-Busse, J., "LERS- A System for Learning from Examples Based on Rough Sets". In Intelligent Decision Support Systems, Handbook of Applications and Advances of the Rough Sets Theory, R. Slowinski, ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 3-18, 1992.

 12. Hadijimicheal, H., Wasilewska, A., "Rough Sets-based Study of Voter Preference in 1988 USA Presidential Election". In: Intelligent Decision Support Systems, Handbook of Applications and Advances of the Rough Sets Theory, R. Slowinski, ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 137-152, 1992.
- 13. Krusinska, E., Slowinski, R., Stefanowski, J., "Discriminant Versus Rough Sets Approach to Vague Data Analysis," *Journal of Applied Statistics and Data Analysis*, 8, pp. 43-56, 1992.
- 14. Krysinski, J., "Analysis of Structure-Activity Relationships of Quaternary Ammonium Compounds". In Intelligent Decision Support Systems, Handbook of Applications and Advances of the Rough Sets Theory, R. Slowinski, ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 119-136, 1992.
- 16. Lin, T. Y., ed., The Third International Workshop on Rough Sets and Soft Computing Pro-

- (RSSC'94), November 10-12, 1994, San Jose State University, San Jose, California, USA,
- 16. Lin, T. Y., Liu, Q., "Rough Logic and its Applications", (manuscript), 1993.
- Munakata, T., "Rough Control a Perspective". In 23rd Annual Computer Science Conference Workshop on Rough Sets and Database Mining, (CSC'95), Conference Proceedings, Lin, T. Y., ed., March 2, 1995, San Jose State University, San Jose, California, 1995.
- 18. Mrozek, A., "Rough Sets in Computer Implementation of Rule-Based Control of Industrial Processes". In Intelligent Decision Support Systems, Handbook of Applications and Advances of the Rough Sets Theory, R. Slowinski, ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 19-32, 1992.
- 10. Nakamura, A., "Fuzzy Rough Sets", Note on Multiple-valued Logic in Japan, 9, 1988.
- 20. Nowicki, R., Slowinski, R., Stefanowski, J., "Analysis of Diagnostic Symptoms in Vibroacustic Diagnostics by means of the Rough Sets Theory". In *Intelligent Decision Support Systems, Handbook of Applications and Advances of the Rough Sets Theory*, R. Slowinski, ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 33-48, 1992.
- 21. Pawlak, Z., "Rough Sets", International Journal of Computer and Information Sciences, 11, pp. 341-356, 1982.
- 22. Pawlak, Z., Rough Sets, Theoretical Aspects of Reasoning about Data, Kluwer Academic Publishers, Dordrecht, Boston, London, 1991.
- 23. Pawlak, Z., Skowron, A., "Rough Membership Functions". In *Advances in the Dempster Shafer Theory of Evidence*, R.R. Yaeger, M. Fedrizzi, and J. Kacprzyk, eds., John Wiley and Sons, New York, pp. 251-271, 1994.
- 24. Pawlak, Z., Slowinski, R., "Decision Analysis using Rough Sets", International Transations on Operational Research, 1, pp. 107-114, 1994.

- Wong, S. K. M., Ziarko, W., "Rough Sets: Probabilistic Versus Deterministic Ap-
- Howard, Z., Grzymala-Busse, J., Slowinski, R., Ziarko, W., "Rough Sets", Communication of the ACM, (to appear), 1995.
- 17. Popper, K., The Logic of Scientific Discovery, Hutchinson, London, 1959.
- III. Russell, B., "Vagueness", Australian Journal of Philosophy, 1, pp. 84-92, 1923.
- 1076.
- 30. Skowron, A., Rauszer, C., "The Discernibility Matrices and Functions in Information Systems".
- In Intelligent Decision Support Handbook of Advances and Applications of the Rough Set Theory,
- II. Slowinski, ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 311-362, 1992.
- III. Skowron, A., Grzymala-Busse, J., "From the Rough Set Theory to Evidence Theory". In Advances in the Dempster Shafer Theory of Evidence, R.R. Yaeger, M. Fedrizzi, and J. Kacprzyk, eds. John Wiley and Sons, New York, pp. 193-235, 1994.
- 32. Slowinski, R., ed., Intelligent Decision Support Handbook of Advances and Applications of the Rough Set Theory, Kluwer Academic Publisher, Dordrecht, Boston, London, 1992.
- 33. Szladow, A., Ziarko, W., "Knowledge Based Process Control Using Rough Sets", In Intelligent Decision Support Handbook of Advances and Applications of the Rough Set Theory, R. Slowinski, ad., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 49-60, 1992.
- 34. Słowinski, K., Słowinski, R., Stefanowski, J., "Rough Sets Approach to Analysis of Data from Peritoneal Lavage in Acute Pancreatitis," Medical Informatics, 13, pp. 143-159, 1989.
- 35. Slowinski, K., Slowinski, R., "Sensitivity Analysis of Rough Classification", Int. Journal of Man-Machine Studies, 32, pp. 693-705, 1990.
- III. Slowinski, K., "Rough Classification of HSV Patients". In Intelligent Decision Support Systems,

- International Journal of Man-Machine Studies, 29, pp. 81-85, 1988.
- Wak, Z., Grzymala-Busse, J., Slowinski, R., Ziarko, W., "Rough Sets", Communication of CM, (to appear), 1995.
- * Popper, K., The Logic of Scientific Discovery, Hutchinson, London, 1959.
- Liusell, B., "Vagueness", Australian Journal of Philosophy, 1, pp. 84-92, 1923.
- Phishafer, G., A Mathematical Theory of Evidence, Princeton University Press, Princeton, NJ,
- 10. Skowron, A., Rauszer, C., "The Discernibility Matrices and Functions in Information Systems".
- In Intelligent Decision Support Handbook of Advances and Applications of the Rough Set Theory,
- Il. Slowinski, ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 311-362, 1992.
- III. Skowron, A., Grzymala-Busse, J., "From the Rough Set Theory to Evidence Theory". In Adminices in the Dempster Shafer Theory of Evidence, R.R. Yaeger, M. Fedrizzi, and J. Kacprzyk, wills. John Wiley and Sons, New York, pp. 193-235, 1994.
- 32. Slowinski, R., ed., Intelligent Decision Support Handbook of Advances and Applications of the Rough Set Theory, Kluwer Academic Publisher, Dordrecht, Boston, London, 1992.
- 33. Szladow, A., Ziarko, W., "Knowledge Based Process Control Using Rough Sets", In *Intelligent Decision Support Handbook of Advances and Applications of the Rough Set Theory*, R. Slowinski, ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 49-60, 1992.
- 34. Slowinski, K., Slowinski, R., Stefanowski, J., "Rough Sets Approach to Analysis of Data from Peritoneal Lavage in Acute Pancreatitis," *Medical Informatics*, 13, pp. 143-159, 1989.
- 35. Slowinski, K., Slowinski, R., "Sensitivity Analysis of Rough Classification", Int. Journal of Man-Machine Studies, 32, pp. 693-705, 1990.
- 36. Slowinski, K., "Rough Classification of HSV Patients". In Intelligent Decision Support Systems,

Publishers, Dordrecht, Boston, London, pp. 77-94, 1992.

Tillidow, A., Ziarko, W., "Knowledge Based Process Control Using Rough Sets". In Intelligent Intelligent Support Systems, Handbook of Applications and Advances of the Rough Sets Theory, R. Invinski, ed., Kluwer Academic Publishers, Dordrecht, Boston, London, pp. 49-60, 1992.

- Tanaka, H., Ishibuchi, H., Shigenega, T., "Fuzzy Inference System based on Rough Sets and its pplication to Medical Diagnosis". In *Intelligent Decision Support Systems, Handbook of Appliations and Advances of the Rough Sets Theory*, R. Slowinski, ed., Kluwer Academic Publishers, Tordrecht, Boston, London, pp. 111-118, 1992.
- O. Teghem, J., Charlet, J., M., "Use of Rough Sets Method to Draw Premonitory Factors for Carthquakes by Emphasizing Gas Geochemistry: The case of a Low Seismic Activity Context, in Legium". In Intelligent Decision Support Systems, Handbook of Applications and Advances of the Lough Sets Theory, R. Slowinski, (ed.) Kluwer Academic Publishers, Dordrecht, Boston, London, 10. 165-180, 1992.
- 1). Wasilewska, A., Banerjee, M., "Rough Sets and Topological Quasi-Boolean Algebras". In 23rd Innual Computer Science Conference Workshop on Rough Sets and Databases Mining, Lin, T. Y., U., (CSC'95), Conference Proceedings March 2, 1995, San Jose State University, San Jose, Calibraia.
- 1. Wong, S. K. M., Ziarko, W., "INFER an Adaptive Decision Support System Based on the robabilistic Approximate Classification", The 6th International Workshop on Expert Systems and heir Applications, Avignon, France, 1, pp. 713-726, 1987.
- 2. Wong, S. K. M., Ziarko, W., Ye, R. L., "Comparison of Rough Set and Statistical Methods in Aductive Learning", International Journal of Man-Machine Studies, 24, pp. 53-72, 1986.
- B. Zadeh, L., "Fuzzy Sets", Information and Control, pp. 338-353, 1965.

Solve at

Larko, W., "Acquisition of Control Algorithms from Operation Data". In Intelligent Decision Support Systems, Handbook of Applications and Advances of the Rough Sets Theory, R. Slowinski d., Kluwer Academik Publishers, Dordrecht, Boston, London, pp. 61-76, 1992.

40, Zlarko, W., "Variable Precision Rough Set Model", Journal of Computer and System Sciences, 40, pp. 39-59, 1993.

17. Ziarko, W., ed., Rough Sets, Fuzzy Sets and Knowledge Discovery. Proceedings of the International Workshop on Rough Sets and Knowledge Discovery (RSKD'93), Banff, Alberta, Canada, 12-15 October 1993, Springer Verlag, 1993.

Recently published Research Reports of the Institute of Computer Science, W.U.T.

17795	Jan Komorowski, Lech T. Polkowski, Andrzej Skowron, Towards a Rough Mereology-Based Logic for Approximate Solution Synthesis, Part 1, April 1995.
18/95	Rafal Deja, Conflict Analysis Based on the Distance Function, April 1995.
19/95	Robert M. Colomb, Jacek Sienkiewicz, Analysis of Redundancy in Expert Systems Case Data, April 1995.
20/95	Dorota Nejman, Rough Sets in Handwritten Numerals Recognition, April 1995.
21/95	Zdzisław Pawlak, On Some Issues Connected with Roughly Continuous Functions, May 1995.
22/95	Barbara Marszał-Paszek, Piotr Paszek, Alicja Wakulicz-Deja, Applying Rough Sets to Diagnose in Children's Neurology, May 1995.
23/95	Mikhail Moshkov, Relationships Between Depth of Deterministic and Nondeterministic Programs Computing Functions of k-Valued Logic, May 1995.
24/95	Andrzej Kozłowski, Metoda symulacji i animacji procesu zdarzeń z uwzględnieniem czynników fizycznych w środowisku pakietu 3D Studio, maj 1995.
25/95	Piotr Baran, Grzegorz J. Blinowski, <i>PSFlow Distributed Processing Model - C-language Binding and Reference Manual</i> , May 1995.
26/95	Jerzy Mieścicki, Konstanty J. Kurman, Wiktor B. Daszczuk, MIKOZ: Metoda identyfikacji i koordynacji oddziaływań zwrotnych w regulacji ciągłych procesów technologicznych, maj 1995.
27/95	Jerzy Mieścicki, Konstanty J. Kurman, Wiktor B. Daszczuk, <i>Identyfikacja kolumny destylacyjnej D-1 w Laboratorium Procesów Technologicznych PW</i> , maj 1995.
28/95	Adam Obtulowicz, Differential Equations for Discrete Functions, May 1995.
29/95	M. K. Chakraborty and Sanjukta Basu, Approximate Reasoning Methods in Vagueness: Graded and Rough Consequences, May 1995.
30/95	Krzysztof Słowiński, Diagnostic Peritoneal Lavage for Multiple Injuries Patients, Analysis of Experience Using Rough Set Approach, May 1995.

Zdzisław Pawlak, Zbiory przybliżone, maj 1995.

11/95