

Rough Sets - a New Paradigm of Imprecise Knowledge

Zdzisław Pawlak

Institute of Theoretical and Applied Informatics

Polish Academy of Sciences

ul. Bałtycka 5, 44 000 Gliwice, Poland

e-mail:zpw@ii.pw.edu.pl

1 Introduction

Theory of knowledge has been studied by philosophers and logicians for many years [2, 12, 44]. Besides, epistemology became a very important issue for researchers involved in AI and cognitive sciences, who contributed essentially to this domain [1, 3, 4, 5, 6, 7, 11, 25, 26, 30]. Nevertheless many issues pertinent to theory of knowledge, particularly in the context of AI, seem to be far from being fully understood. Especially the problem of imperfect knowledge requires due attention. Main flaws of imperfect knowledge are vagueness and uncertainty. Rough set theory, besides fuzzy set theory and the theory of evidence, contributed essentially to better understanding knowledge based systems, especially if vagueness and uncertainty are concerned. Many papers have been published on various aspects of knowledge and rough set theory [8, 9, 10, 13, 14, 15, 16, 17, 18, 27, 28, 35, 37, 40, 42, 43, 45, 46, 47, 48, 49, 54, 55, 59, 60, 61, 62, 64, 67, 68, 69, 70, 71, 72, 73, 75, 77, 79, 80]. This paper concerns basic concepts of rough set theory with the emphasis on its relationship to knowledge. The references also include basic literature on rough sets and their applications [19, 20, 21, 22, 23, 24, 29, 34, 36, 37, 38, 39, 41, 51, 52, 53, 56, 57, 65, 66, 74, 76].

2 Basic concepts of rough set theory - approximations

Rough set theory is based on the assumption, widely shared in cognitive sciences, that the fundamental mechanism of reasoning is founded on the ability to classify elements of the universe of discourse. Classification means that small differences between elements are ignored and consequently those elements are indiscernible. Hence classification leads to clustering of elements of interest into *granules*, *classes*, *clumps*, *groups*, etc. of indiscernible (similar) objects. In rough set theory these granules, called *elementary sets* (*concepts*) form basic building blocks (concepts) of knowledge about the universe.

Every union of elementary concepts is referred to as a *crisp* or *precise* concept (set) otherwise a concept (set) is called *rough*, *vague* or *imprecise*. Thus rough concepts cannot be expressed in terms of elementary concepts. However, they can be expressed approximately by means of elementary concepts by employing the idea of the *lower* and the

upper approximation of a concept. The lower approximation of a concept is the union of all elementary concepts which are included in the concept, whereas the upper approximation is the union of all elementary concepts which have nonempty intersection with the concept. The difference between the lower and the upper approximation of the concept is its *boundary region*. Now it can easily be seen that a concept is rough if it has nonempty boundary region, i.e. its lower and upper approximation are nonidentical. Obviously, if the lower and the upper approximations of the concept are the same, i.e. its boundary region is empty – the concept is crisp.

Thus the basic flaw of imperfect knowledge, vagueness, can be remedied by replacing vague concepts by two precise concepts – its lower and upper approximation. These approximations are key ideas of rough set theory.

In what follows we shall formalize the above considerations and define more precisely basic concepts of rough set theory. Let us first discuss briefly the concept of a *database*. By a database we will understand a pair $S = (U, A)$, where U and A , are finite, nonempty sets called the *universe*, and a set *attributes* respectively. With every attribute $a \in A$ we associate a set V_a , of its *values*, called the *domain* of a . Any subset B of A determines a binary relation $I(B)$ on U , which will be called an *indiscernibility relation*, and is defined as follows:

$(x, y) \in I(B)$ if and only if $a(x) = a(y)$ for every $a \in A$, where $a(x)$ denotes the value of attribute a for element x .

It can easily be seen that $I(B)$ is an equivalence relation. The family of all equivalence classes of $I(B)$, i.e. partition determined by B , will be denoted by $U/I(B)$, or simple U/B ; an equivalence class of $I(B)$, i.e. block of the partition U/B , containing x will be denoted by $B(x)$.

If (x, y) belongs to $I(B)$ we will say that x and y are *B-indiscernible*. Equivalence classes of the relation $I(B)$ (or blocks of the partition U/B) are referred to as *B-elementary sets*.

There are several comments in order regarding the introduced definitions. The concept of a database used here is in fact a data table whose columns are labeled by attributes and rows – by elements of the universe. Such tables are also known as *information systems*. Thus database is simple a set of data about some elements of interest, e.g. patients in a hospital, cars, states of a process etc. An important point to note is that elements of the universe are described in the database by some features expressed by attribute values. It is rather straightforward to observe that this assumption leads to the indiscernibility relation, which results that some elements of the universe are clustered into *granules*, *classes*, *blocks*, *atoms*, etc. of indiscernible (similar) elements. These granules are treated as a whole, and they form the basic building blocks of our knowledge.

Now we defined two operations on sets:

$$B_*(X) = \{x \in U : B(x) \subseteq X\},$$

$$B^*(X) = \{x \in U : B(x) \cap X \neq \emptyset\},$$

which assign to every subset X of the universe U two sets $B_*(X)$ and $B^*(X)$ called the *B-lower* and the *B-upper approximation* of X , respectively.

The set

$$BN_B(X) = B^*(X) - B_*(X)$$

will be called the *B-boundary region* of X .

If the boundary region of X is the empty set, i.e. $BN_B(X) = \emptyset$, then the set X is *crisp (exact)* with respect to B ; in the opposite case, i.e. if $BN_B(X) \neq \emptyset$, the set X is *rough (inexact)* with respect to B .

It is important to emphasize that approximations are meant to substitute a pair of precise concepts for the imprecise concept.

Sets usually are defined by employing a membership function.

Rough sets can also be defined by using a *rough membership function*, defined as

$$\mu_X^B(x) = \frac{\text{card}(B(x) \cap X)}{\text{card}(B(x))}.$$

Obviously

$$\mu_X^B(x) \in [0, 1].$$

The value of the membership function $\mu_X^B(x)$ is a kind of conditional probability, and can be interpreted as a degree of *certainty* that x can be classified as X employing set of attributes B .

The rough membership function can be used to define approximations and the boundary region of a set, as shown below:

$$B_*(X) = \{x \in U : \mu_X^B(x) = 1\},$$

$$B^*(X) = \{x \in U : \mu_X^B(x) > 0\},$$

$$BN_B(X) = \{x \in U : 0 < \mu_X^B(x) < 1\}.$$

It might seem that the rough membership function is identical with that used in fuzzy set theory, but this is not the case. For details the reader is referred to [39]. Thus we have two ways of defining rough sets: the first one uses approximations, whereas the second one employs the rough membership function. It is important to observe that these two approaches are not equivalent [39]. Approximations are in fact some topological operations on sets whereas the rough membership function, as mentioned before, is a kind of conditional probability. Approximations refer to *vagueness* of a concept (set), but rough membership refers to *uncertainty* whether some elements of the universe belong to a concept or not. Hence in rough set theory vagueness and uncertainty are clearly defined and understood and one can easily see the relationship between these concepts.

The rough membership function can be generalized as follows [41, 42]:

$$\mu(X, Y) = \frac{\text{card}(X \cap Y)}{\text{card } X},$$

where $X, Y \subseteq U, X \neq \emptyset$.

Function $\mu(X, Y)$ is an example of a *rough inclusion* and expresses the degree to which X is included in Y . Obviously, if $\mu(X, Y) = 1$, then $X \subseteq Y$.

If X is included to a degree k we will write $X \subseteq_k Y$.

The rough inclusion function can be interpreted as a generalization of the mereological relation "part of", and reads as "part to a degree" [41, 42]. We will use this construction in Section 5.

3 Dependency of Attributes

Instead of using approximations of sets we can use the concept of *dependency of attributes*.

Intuitively, a set of attributes D (called *decision attributes*) depends totally on a set of attributes C (called *condition attributes*), denoted $C \Rightarrow D$, if all values of attributes from D are uniquely determined by values of attributes from C . In other words, D depends totally on C , if there exists a functional dependency between values of D and C .

Formally, dependency can be defined in the following way.

Let D and C be subsets of A . We say that D *depends totally* on C , if and only if $I(C) \subseteq I(D)$. That means that the partition generated by C is finer than the partition generated by D .

We would also need a more general concept of dependency of attributes, called a *partial dependency* of attributes. Thus the partial dependency means that only some values of D are determined by values of C .

Formally, the above idea can be formulated as follows.

Let D and C be subsets of A . We say that D *depends to a degree* $k, 0 \leq k \leq 1$, on C , denoted $C \Rightarrow_k D$, if

$$k = \gamma(C, D) = \frac{\text{card}(\text{POS}_C(D))}{\text{card}(U)} = \frac{\sum_{x \in U/D} \text{card}(C_*(X))}{\text{card}(U)},$$

where

$$\text{POS}_C(D) = \bigcup_{X \in U/I(D)} C_*(X).$$

In our approach partial dependencies and approximations are used to express vagueness. If we want to deal with the global picture of vague patterns in a database the use of dependencies is in order, because they show possible "cause-effect" relations, or approximate dependencies, occurring in the database. However, if we are interested in local properties of a database and want to know how some concepts can be expressed in terms of elementary concepts, approximations are the answer to this problem.

4 Reduction of Attributes

Another important issue in our approach is data reduction.

This concept can be formulated as follows. Let $C \Rightarrow_k D$. A minimal subset C' of C , such that $\gamma(C, D) = \gamma(C', D)$ is called a *reduct* of C .

Thus a reduct is a set of condition attributes that preserves the degree of dependency. It means that a reduct is a minimal subset of condition attributes that enables the same decisions as the whole set of condition attributes.

Obviously a set of condition attributes may have more than one reduct. Intersection of all reducts is called the *core*. The core is the set of attributes that cannot be eliminated from the information table without changing its dependencies and approximations.

In other words, attribute reduction shows how data can be reduced from a database without affecting its basic properties. This is the fundamental issue in rough set theory. Many effective methods of attribute reduction have been proposed and implemented. Nevertheless effective methods of reducts computation are still badly needed, particularly when very large databases are concerned.

5 Dependencies, Decision Rules and Knowledge Base

Each dependency $C \Rightarrow_k D$ in a database induce a set of decision rules of the form "if... then...", called a *knowledge base*. In other words every dependency $C \Rightarrow_k D$ can be represented by a set of decision rules:

if C_1 then D_1

if C_2 then D_2

...

if C_n then D_n

where C_i and D_i are sets of conditions and decisions, respectively.

Each decision rule corresponds to a row in a database and represents decisions that should be made when conditions specified by the rule are satisfied. Thus knowledge base is understood here as a set of decision rules. This view is widely shared in the AI community.

Decision rules are implications, therefore with every database $S = (U, A)$ we associate a formal language. The language is defined in the standard way and we assume that the reader is familiar with the construction.

Given $x \in U$ and $B \subseteq A$ by $\Phi_x^B = \bigwedge_{a \in B} (a, v)$ we mean a formula such that $a(x) = v$ and $v \in V_a$.

Every dependency $C \Rightarrow_k D$ determines a set of *decision rules* (*knowledge base*)

$$\{\Phi_x^C \rightarrow \Phi_x^D\}_{x \in U}.$$

We say that a decision rule $\Phi_x^C \rightarrow \Phi_x^D$ is *true* in S , if $|\Phi_x^C|_S \subseteq |\Phi_x^D|_S$, where $|\Phi_x^C|_S$ denotes the *meaning* of Φ_x^C in S , i.e. the set of all $y \in U$ that satisfy Φ_x^C in S .

Let $C_S(x) = |\Phi_x^C|_S$. Hence the decision rule $\Phi_x^C \rightarrow \Phi_x^D$ is true in S if $C_S(x) \subseteq D_S(x)$.

A decision rule $\Phi_x^C \rightarrow \Phi_x^D$ is *true to a degree* l in S , if $l = \mu(C_S(x), D_S(x)) > 0$, i.e. $C_S(x) \subseteq_l D_S(x)$.

Rough inclusion in this case boils down to rough membership function. As a consequence rough membership can be interpreted as a generalized truth value.

The degree of truth of a decision rule can also be interpreted as a certainty factor of the rule.

Let us observe that the rough membership can be interpreted both as conditional probability and at the same time as partial truth value.

The above considerations lead to a inference rule, called the *rough modus ponens* and is defined as below:

$$\frac{\pi(\Phi_x^C); \mu(\Phi_x^C, \Psi_x^D)}{\pi(\Psi_x^C)},$$

where

$$\pi(\Phi_x^C) = \frac{\text{card}(|\Phi_x^C|_S)}{\text{card } U},$$

$$\mu(\Phi_x^C, \Psi_x^D) = \frac{\text{card}(|\Phi_x^C \wedge \Psi_x^D|_S)}{\text{card } |\Phi_x^C|_S}$$

and

$$\pi(\Psi_x^D) = \sum_{y \in D(x)} (\pi(\Phi_y^C) \cdot \mu(\Phi_y^C, \Psi_y^D)).$$

The number $\pi(\Phi_x^C)$ can be interpreted as the probability, that x has the property Φ_x^C , and the number $\mu(\Phi_x^C, \Psi_x^D)$ – as *certainty factor* of the decision rule $\Phi_x^C \rightarrow \Psi_x^D$.

Hence the inference rule, the *rough modus ponens*, enables us to calculate the probability of conclusion Ψ_x^D as a function of the probability of the premise Φ_x^C and the certainty factor $\mu(\Phi_x^C, \Psi_x^D)$ of the decision rule $\Phi_x^C \rightarrow \Psi_x^D$.

6 Conclusions

Because knowledge base can be treated as a set of decision rules (implications) basic concepts of rough set theory can be expressed not only in algebraic terms but also in logical framework. Many logical systems (rough logics) based on these ideas have been proposed and investigated, but we have not discussed these issues here. We would only like to stress that in view of the above considerations rough set theory leads to another approach to reasoning about knowledge: reasoning in rough set theory can be based on *rough modus ponens*. In contrast to *modus ponens* – which allows to draw true conclusions from true premises by means of true implications – *rough modus ponens* enables to evaluate the probability of conclusions on the basis of probabilities of premises and the certainty factor of decision rules involved.

References

- [1] Aikins, J.S.: Prototypic a knowlegde for expert systems. *Artificial Intelligence* **20** (1983) 163–210
- [2] Black, M.: Reasoning with losse concepts. *Dialog* **2** (1963) 1–12
- [3] Bobrow, D.G.: A panel on knowledge representation. In: *Proc. Fifth International Joint Conference on Artificial Intelligence*, Carnegie–Melon University, Pittsburgh, PA (1977)
- [4] Bobrow, D.G., Winograd, T.: An overview of KRL: A knowledge representation language. *Journal of Cognitive Sciences* **1** (1977) 3–46
- [5] Brachman, R.J., Smith B.C.: Special issue of knowledge representation. *SIGART Newsletter* **70** (1980) 1–138
- [6] R.J. Barchman, H.J. Levesque (eds.): *Readings in Knowledge Representation*. Morgan Kaufmann Publishers, Inc. (1986)
- [7] Davis, R., Lenat, D.: *Knowledge–based systems in artificial intelligence*. McGraw–Hill (1982)
- [8] Dubois, D., Prade, H.: Twofold fuzzy sets and rough sets – Some issues in knowledge representation. *Fuzzy Sets and Systems* **23** (1987) 3–18

- [9] Grzymała-Busse, J.: On the reduction of knowledge representation Systems. In: Proc. of the 6th International Workshop on Expert Systems and their Applications **1**, Avignon, France, April 28–30 (1986) 463–478
- [10] Grzymała-Busse, J.: Knowledge acquisition under uncertainty – a rough set approach. *Journal of Intelligent and Robotics Systems* **1** (1988) 3–16
- [11] J. Halpern (ed.): *Theoretical Aspects of Reasoning about Knowledge*. In: Proceedings of the 1986 Conference. Morgan Kaufman, Los Altos, California (1986)
- [12] Hintika, J.: *Knowledge and belief*. Cornell University Press, Chicago (1962)
- [13] Hu, X., Cercone, N.: Mining knowledge rules from databases: A rough set approach. In: Proceedings of the 12th International Conference on Data Engineering, New Orleans (1995) 96–105
- [14] Hu, X., Cercone, N., Ziarko, W.: Generation of multiple knowledge from databases based on rough set theory. In: T.Y. Lin, N. Cercone (eds.): *Rough Sets and Data Mining. Analysis of Imprecise Data*. Kluwer Academic Publishers, Boston, Dordrecht (1997) 109–121
- [15] Hu, X., Shan, N., Cercone, N., Ziarko, W.: DBROUGH: A rough set based knowledge discovery system. In: Z.W. Ras, M. Zemankova (eds.), *Proceedings of the Eighth International Symposium on Methodologies for Intelligent Systems (ISMIS'94)*, Charlotte, NC, October 16–19, 1994, *Lecture Notes in Artificial Intelligence* **869**, Springer-Verlag (1994) 386–395
- [16] Komorowski, J., Polkowski, L., Skowron, A.: Rough sets for data mining and knowledge discovery (abstract of tutorial). In: J. Komorowski, J. Żytkow (eds.), *First European Symposium on Principles of Data Mining and Knowledge Discovery (PKDD'97)*, June 25–27, Trondheim, Norway, *Lecture Notes in Artificial Intelligence* **1263**, Springer-Verlag, Berlin (1997) 393–393
- [17] Konrad, E., Orłowska, E., Pawlak, Z.: Knowledge representation systems. *ICS PAS Report* **433** (1981)
- [18] Kowalczyk, W., Piasta, Z.: Rough sets–inspired approach to knowledge discovery in business databases. In: *The Second Pacific–Asian Conference on Knowledge Discovery and Data Mining, (PAKDD'98)*, Melbourne, Australia, April 15–17 (1998) (accepted)
- [19] T.Y. Lin (ed.): *Proceedings of the Third International Workshop on Rough Sets and Soft Computing (RSSC'94)*. San Jose State University, San Jose, California, USA, November 10–12 (1994)
- [20] T.Y. Lin (ed.): *Proceedings of the Workshop on Rough Sets and Data Mining at 23rd Annual Computer Science Conference*. Nashville, Tennessee, March 2 (1995)
- [21] T.Y. Lin (ed.): *Journal of the Intelligent Automation and Soft Computing* **2/2** (1996) (special issue)
- [22] T.Y. Lin (ed.): *International Journal of Approximate Reasoning* **15/4** (1996) (special issue)

- [23] T.Y. Lin, N. Cercone (eds.): Rough Sets and Data Mining. Analysis of Imprecise Data. Kluwer Academic Publishers, Boston, Dordrecht (1997)
- [24] T.Y. Lin, A.M. Wildberger (eds.): Soft Computing: Rough Sets, Fuzzy Logic, Neural Networks, Uncertainty Management, Knowledge Discovery. Simulation Councils, Inc., San Diego, CA (1995)
- [25] McDermott, D.: The last survey of representation of knowledge. In: Proc. of the AISB/GI Conference on AI. Hamburg (1978) 286–221
- [26] Minski, M.: A framework for representation knowledge. In: P. Winston (ed.), The Psychology of Computer Vision. McGraw–Hill, New York (1975) 211–277
- [27] Mitra, S., Banerjee, M.: Knowledge–based neural net with rough sets. In: T. Yamakawa et al. (eds.), Methodologies for the Conception, Design, and Application of Intelligent Systems, Proceedings of the Fourth International Conference on Soft Computing (IIZUKA’96), Iizuka, Japan 1996, World Scientific (1996) 213–216
- [28] Mrózek, A., Płonka, L.: Knowledge representation in fuzzy and rough controllers. In: M. Dąbrowski, M. Michalewicz, and Z.W. Ras (eds.), Proceedings of the Third International Workshop on Intelligent Information Systems, Wigry, Poland, June 6–10, 1994, Institute of Computer Science Polish Academy of Sciences, Warsaw (1994) 324–337
- [29] Munakata, T.: Rough control: A perspective. In: T.Y. Lin, N. Cercone (eds.): Rough Sets and Data Mining. Analysis of Imprecise Data. Kluwer Academic Publishers, Boston, Dordrecht (1997) 77–88
- [30] Nowell, A.: The knowledge level. Artificial Intelligence **18** (1982) 87–127
- [31] Orłowska, E.: Semantics of knowledge operators. Bull. Polish Acad. Sci. Math. **35** (1987) 255–263
- [32] Orłowska, E.: Logic for reasoning about knowledge. Zeitschrift fuer Mathematische Logik und Grundlagen der Mathematik **35** (1989) 559–572
- [33] Orłowska, E.: A rough set model of knowledge transfer in distributed systems. In: Słowiński, J. Stefanowski (eds.): Proceedings of the First International Workshop on Rough Sets: State of the Art and Perspectives. Kiekrz – Poznań, Poland September 2–4 (1992) 45–47
- [34] E. Orłowska (ed.): Incomplete Information: Rough Set Analysis. Physica-Verlag, Heidelberg (1997)
- [35] Orłowska, E., Pawlak, Z.: Logical foundations of knowledge representation. Polish Academy of Sciences, ICS PAS Reports **537** (1984) 1–106
- [36] S.K. Pal, A. Skowron (eds.): Fuzzy Sets, Rough Sets and Decision Making Processes. Springer–Verlag, Singapore (in preparation)
- [37] Pawlak, Z.: Rough Sets – Theoretical Aspects of Reasoning about Data. Kluwer Academic Publishers, Boston, Dordrecht (1991)

- [38] Pawlak, Z.: Knowledge and uncertainty – A rough sets approach. In: V. Alagar, S. Bergler, and F.Q. Dong (eds.), *Incompleteness and Uncertainty in Information Systems, Proceedings of SOFTEKS Workshop on Incompleteness and Uncertainty in Information Systems*, Concordia University, Montreal, Canada 1993, *Workshops in Computing*, Springer-Verlag & British Computer Society, London, Berlin (1994) 34–42
- [39] Pawlak, Z., Skowron, A.: Rough membership functions. In: R.R. Yaeger, M. Fedrizzi, and J. Kacprzyk (eds.), *Advances in the Dempster Shafer Theory of Evidence*, John Wiley & Sons, Inc., New York (1994) 251–271
- [40] Płonka, L., Mrózek, A., Winiarczyk, R., Maitan, J.: Implementing rule-oriented knowledge bases on smart networks. In: *Proceedings of the Fourth International Workshop on Intelligent Information Systems*, Augustów, Poland, June 5–9, 1995, Institute of Computer Science, Polish Academy of Sciences, Warsaw (1995)
- [41] Polkowski, L., Skowron, A.: Rough mereology. In: *Proceedings of the Symposium on Methodologies for Intelligent Systems*, Charlotte, NC, October 16–19, *Lecture Notes in Artificial Intelligence* **869**, Springer-Verlag, Berlin (1994) 85–94; see also: Institute of Computer Science, Warsaw University of Technology, ICS Research Report **44/94** (1994)
- [42] Polkowski, L., Skowron, A.: Rough mereological approach to knowledge-based distributed AI. In: J.K. Lee, J. Liebowitz, and J.M. Chae (eds.), *Critical Technology, Proceedings of the Third World Congress on Expert Systems*, February 5–9, Seoul, Korea, Cognizant Communication Corporation, New York (1996) 774–781
- [43] L. Polkowski, A. Skowron (eds.): *Rough Sets in Knowledge Discovery*. Springer Verlag (in print)
- [44] Popper, K.: *The logic of scientific discovery*. London, Hutchinson (1959)
- [45] Rauszer, C.: Distributive knowledge representation systems. In: R. Słowiński, J. Stefanowski (eds.): *Proceedings of the First International Workshop on Rough Sets: State of the Art and Perspectives*. Kiekrz – Poznań, Poland September 2–4 (1992) 57–58
- [46] Rauszer, C.: Distributive knowledge representation systems. In: R. Słowiński, J. Stefanowski (eds.), *Foundations of Computing and Decision Sciences* **18/3–4** (1993) 155–396 (special issue) 307–332
- [47] Rauszer, C.: Approximation methods for knowledge representation systems. In: J. Komorowski, Z.W. Ras (eds.), *Proceedings of the Seventh International Symposium on Methodologies for Intelligent Systems (ISMIS'93)*, Trondheim, Norway, June 15–18, 1993, *Lecture Notes in Computer Science* **689** (1993) 326–337
- [48] Rauszer, C.: Rough logic for multiagent systems. In: M. Masuch, L. Polos (eds.), *Knowledge Representation and Reasoning under Uncertainty. Logic at Work*, *Lecture Notes in Artificial Intelligence* **88** (1994) 161–181; see also: Institute of Computer Science, Warsaw University of Technology, ICS Research Report **27/93** (1993)

- [49] Rauszer, C.: Knowledge representation systems for groups of agents. In: J. Woleński (ed.), *Philosophical Logic in Poland*, Kluwer, Boston, Dordrecht (1994) 217–238
- [50] Rauszer, C., de Swart, H.: Different approaches to knowledge, common knowledge and Aumann’s theorem. In: A. Laux, H. Wansing (eds.), *Knowledge and Belief in Philosophy and Artificial Intelligence*, Akademie Verlag, Berlin (1995) 87–12
- [51] R. Słowiński (ed.): *Intelligent Decision Support – Handbook of Applications and Advances of the Rough Sets Theory*. Kluwer Academic Publishers, Boston, Dordrecht (1992)
- [52] R. Słowiński, J. Stefanowski (eds.): *Proceedings of the First International Workshop on Rough Sets: State of the Art and Perspectives*. Kiekrz – Poznań, Poland September 2–4 (1992)
- [53] R. Słowiński, J. Stefanowski (eds.), *Foundations of Computing and Decision Sciences* **18/3–4** (1993) 155–396 (special issue)
- [54] Swiniarski, R., Berzins, A.: Rough sets for intelligent data mining, knowledge discovering and designing of an expert systems for on–line prediction of volleyball game progress. In: S. Tsumoto, S. Kobayashi, T. Yokomori, H. Tanaka, and A. Nakamura (eds.): *Proceedings of the Fourth International Workshop on Rough Sets, Fuzzy Sets, and Machine Discovery (RSFD’96)*. The University of Tokyo, November 6–8 (1996) 413–418
- [55] Szladow, A.J., Ziarko, W.: Knowledge–based process control using rough sets. In: R. Słowiński (ed.): *Intelligent Decision Support – Handbook of Applications and Advances of the Rough Sets Theory*. Kluwer Academic Publishers, Boston, Dordrecht (1992) 49–60
- [56] S. Tsumoto (ed.): *Bulletin of International Rough Set Society* **1/1** (1996)
- [57] S. Tsumoto (ed.): *Bulletin of International Rough Set Society* **1/2** (1997)
- [58] S. Tsumoto, S. Kobayashi, T. Yokomori, H. Tanaka, and A. Nakamura (eds.): *Proceedings of the Fourth International Workshop on Rough Sets, Fuzzy Sets, and Machine Discovery (RSFD’96)*. The University of Tokyo, November 6–8 (1996)
- [59] Tsumoto, S., Tanaka, H.: Extraction of medical diagnostic knowledge based on rough set based model selection and rule induction. In: S. Tsumoto, S. Kobayashi, T. Yokomori, H. Tanaka, and A. Nakamura (eds.): *Proceedings of the Fourth International Workshop on Rough Sets, Fuzzy Sets, and Machine Discovery (RSFD’96)*. The University of Tokyo, November 6–8 (1996) 426–436; see also: Y.-Y. Chen, K. Hirota, and J.-Y. Yen (eds.), *Proceedings of 1996 ASIAN FUZZY SYSTEMS SYMPOSIUM – Soft Computing in Intelligent Systems and Information Processing*, December 11–14, Kenting, Taiwan, ROC. (1996) 145–151
- [60] Tsumoto, S., Tanaka H.: Domain knowledge from clinical databases based on rough set model. In: P. Borne, G. Dauphin–Tanguy, C. Sueur, and S. El Khattabi (eds.),

- Proceedings of IMACS Multiconference: Computational Engineering in Systems Applications (CESA'96) **3/4** July 9–12, Lille, France, Gerf EC Lille – Cite Scientifique (1996) 742–747
- [61] Tsumoto, S., Ziarko, W., Shan, N., Tanaka, H.: Knowledge discovery in clinical databases based on variable precision rough sets model. In: Proceedings of the 19th Annual Symposium on Computer Applications in Medical Care, New Orleans, 1995, Journal of American Medical Informatics Association Supplement (1995) 270–274
- [62] Vakarelov, D.: Abstract characterization of some knowledge representation systems and the logic NIL of nondeterministic information. In: Ph. Jorrand, V. Sgurev (eds.), Artificial Intelligence II, Methodology, Systems, Applications, North Holland, Amsterdam (1987)
- [63] Vakarelov, D.: Modal logics for knowledge representation systems. Lecture Notes in Computer Science **363** (1989) 257–277; see also: Theoretical Computer Science **90** (1991) 433–456
- [64] Vakarelov, D.: A modal logic for similarity relations in Pawlak knowledge representation systems. Fundamenta Informaticae **15** (1991) 61–79
- [65] P.P. Wang (ed.): Proceedings of the International Workshop on Rough Sets and Soft Computing at Second Annual Joint Conference on Information Sciences (JCIS'95), Wrightsville Beach, North Carolina, 28 September - 1 October (1995)
- [66] P.P. Wang (ed.): Proceedings of the Fifth International Workshop on Rough Sets and Soft Computing (RSSC'97) at Third Annual Joint Conference on Information Sciences (JCIS'97). Duke University, Durham, NC, USA, Rough Set & Computer Science **3**, March 1–5 (1997)
- [67] Wasilewska, A.: Definable sets in knowledge representation systems. Bull. Polish Acad. Sci. Tech. **35/9–10** (1988) 629–636
- [68] Wasilewska, A.: Conditional knowledge representation systems – Model for an implementation. Bull. Polish Acad. Sci. **37/1–6** (1990) 63–69
- [69] Wong, S.K.M.: A rough - set model for reasoning about knowledge. In: L. Polkowski, A. Skowron (eds.), Rough Sets in Knowledge Discovery, Springer Verlag (in print)
- [70] Ziarko, W.: On reduction of knowledge representation. In: Proc. 2nd International Symp. on Methodologies of Intelligent Systems, Charlotte, NC, North Holland (1987) 99–113
- [71] Ziarko, W.: Acquisition of design knowledge from examples. Math. Comput. Modeling **10** (1988) 551–554
- [72] Ziarko, W.: Determination of locally optimal set of features for representation of implicit knowledge. In: Proceedings of International Conference on Computing and Information, Toronto, North Holland (1989) 433–438

- [73] Ziarko, W.: Rough sets and knowledge discovery: An overview. In: W. Ziarko (ed.): Rough Sets, Fuzzy Sets and Knowledge Discovery (RSKD'93). Workshops in Computing, Springer-Verlag & British Computer Society, London, Berlin (1994) 11–15
- [74] W. Ziarko (ed.): Proceedings of the Second International Workshop on Rough Sets and Knowledge Discovery (RSKD'93). Banff, Alberta, Canada, October 12–15 (1993)
- [75] W. Ziarko (ed.): Rough Sets, Fuzzy Sets and Knowledge Discovery (RSKD'93). Workshops in Computing, Springer-Verlag & British Computer Society, London, Berlin (1994)
- [76] W. Ziarko (ed.): Computational Intelligence: An International Journal **11/2** (1995) (special issue)
- [77] Ziarko, W.: Introduction to the special issue on rough sets and knowledge discovery. In: W. Ziarko (ed.): Computational Intelligence: An International Journal **11/2** (1995) (special issue) 223–226
- [78] W. Ziarko (ed.): Fundamenta Informaticae **27/2–3** (1996) (special issue)
- [79] Ziarko, W., Shan, N.: Knowledge discovery as a search for classifications. In: T.Y. Lin (ed.): Proceedings of the Workshop on Rough Sets and Data Mining at 23rd Annual Computer Science Conference. Nashville, Tennessee, March 2 (1995) 23–29
- [80] Ziarko, W., Shan, N.: Rough sets and knowledge discovery. Encyclopedia of Computer Science and Technology, Marcell Dekker Inc. **35**, supplement **20** (1996) 369–379